


Webnet Rámy



Webnet Rámy


Standardní dutinky

Vzorky
Verze: 18.11.2020

Průměr rámu: Ø 17,2 mm
Rozměr rámu H×L : 400 × 600 mm
Typ sítě Webnet: **H30**


Materiál AISI 316

| Číslo | Lano Ø mm | Rozměry oka W × H mm | Hmotnost kg |
|-----------------------|--------------|-------------------------|----------------|
| 22255-0100-030 | 1 | 30 × 53 | 1,47 |
| 22255-0100-060 | 1 | 60 × 105 | 1,39 |
| 22255-0200-050 | 2 | 50 × 90,5 | 1,67 |
| 22255-0200-080 | 2 | 80 × 141 | 1,45 |
| 22255-0200-120 | 2 | 120 × 209 | 1,38 |
| 22255-0300-070 | 3 | 70 × 124 | 1,65 |
| 22255-0300-100 | 3 | 100 × 175 | 1,53 |



Číslo: **22255-0150-040**

Ø 17,2 mm



Číslo: **22255-0300-070**

Webnet Rámy

Sít bez dutinek


Průměr rámu: Ø 17,2 mm

Rozměr rámu **H×L** : 400 × 600 mm

Typ sítě Webnet: **H30**


Materiál AISI 316

| Číslo | Lano Ø mm | Rozměry oka W × H mm | | Hmotnost kg |
|-----------------------|--------------|-------------------------|---------|----------------|
| 22260-0150-040 | 1,5 | 40 | × 74,8 | 1,48 |
| 22260-0150-050 | 1,5 | 50 | × 89,7 | 1,46 |
| 22260-0150-060 | 1,5 | 60 | × 105,7 | 1,44 |
| 22260-0150-100 | 1,5 | 100 | × 174,6 | 1,40 |
| 22260-0200-050 | 2 | 50 | × 89,7 | 1,67 |
| 22260-0200-080 | 2 | 80 | × 139,6 | 1,51 |
| 22260-0300-070 | 3 | 70 | × 122,5 | 1,65 |
| 22260-0300-100 | 3 | 100 | × 241,7 | 1,54 |



Číslo: **22260-0150-040**

Ø 17,2 mm



Číslo: **22260-0300-070**

Webnet Rámy

Sít Webnet micro


Vzorky

Verze: 18.11.2020

Průměr rámu: Ø 17,2 mm
Rozměr rámu H×L : 400 × 600 mm
Typ sítě Webnet: **H30**

Materiál AISI 316

| Číslo | Lano Ø mm | Rozměry oka W × H mm | | | Hmotnost kg |
|-----------------------|--------------|-------------------------|---|--------|----------------|
| 22261-0150-040 | 1,5 | 40 | × | 75,40 | 1,48 |
| 22261-0150-050 | 1,5 | 50 | × | 91,39 | 1,46 |
| 22261-0150-060 | 1,5 | 60 | × | 107,78 | 1,44 |
| 22261-0150-100 | 1,5 | 100 | × | 175,34 | 1,40 |
| 22261-0200-040 | 2 | 40 | × | 74,93 | 1,50 |
| 22261-0200-060 | 2 | 60 | × | 107,54 | 1,50 |
| 22261-0200-080 | 2 | 80 | × | 141,03 | 1,50 |
| 22261-0200-100 | 2 | 100 | × | 175,16 | 1,50 |




Číslo: **22261-0150-040**

Ø 17,2 mm



Webnet micro



Webnet standard

Webnet Rámy Inviss-R a Inviss-C

Sít Webnet micro

Inviss-R - trubkový rám / **Inviss-C** - jeklový rám

Rozměr rámu **H×L** : 400 × 600 mm

Typ sítě Webnet: **H24**

Materiál AISI 316

| Číslo | Typ | Lano Ø mm | Rozměry oka W × H mm | Hmotnost kg |
|----------------------|------------------------|--------------|-------------------------|----------------|
| 22255-2615-40 | Inviss-R Ø 26,9 | 1,5 | 40 × 75,40 | 2,49 |
| 22255-2615-60 | Inviss-R Ø 26,9 | 1,5 | 60 × 107,78 | 2,48 |
| 22255-2015-40 | Inviss-C 20×20 | 1,5 | 40 × 75,40 | 1,85 |
| 22255-3015-40 | Inviss-C 30×30 | 1,5 | 40 × 75,40 | 3,00 |
| 22255-3015-60 | Inviss-C 30×30 | 1,5 | 60 × 107,78 | 2,72 |

